

<b>K Value</b> (0.5gm/100ml Cyclohexanone @ 25 ° C)	<b>57</b>
<b>Appearance</b> (Visual Observation)	<b>Free Flowing White Powder</b>
<b>Inherent Viscosity</b> (ASTM D 1243-79)	<b>.70 +/- .02</b>
<b>Relative Viscosity</b> (1.0% in Cyclohexanone @ 25 ° C)	<b>1.84 +/- .03</b>
<b>Apparent Bulk Density (g/cc)</b> (ASTM D 1895-69)	<b>.53 +/- .02</b>
<b>Particle Size Distribution</b> (ASTM D 1921-63) <b>Thru 40 mesh</b> (% minimum) <b>Thru 200 mesh</b> (% maximum)	<b>100</b> <b>8</b>
<b>Volatiles (% Max)</b> (ASTM D 3030-79)	<b>0.5</b>
<b>ASTM Cell Classification</b> (ASTM D 1755)	<b>GPA-15050</b>
<b>CAS Number</b>	<b>9002-86-2</b>

All statements, information and data given herein are believed to be accurate and reliable but are presented without guaranty, warranty or responsibility of any kind, expressed or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated or that any measures may not be required.